


87 Per





AS25-15K 480C AUTOMATIC

HP1000TP TOUCH SCREEN PROGRAMMING PANEL

TOMATC

MEDIUM FREQUENCY PNEUMATIC C GUN 480daN WITH BUILT IN TRANSFORMER

AUTOMATIC RECOGNITION OF MATERIAL AND THICKNESS

STORAGE OF WELDING REPORT ON USB PEN DRIVE

INVERTER (E

2024

pei

PUNTATRICI PER CARROZZERIA WELDERS FOR AUTO BODY REPAIR



Welding source with INVERTER TECHNOLOGY, D.C. welding current; Welding of low-carbon steel, zinc coated steel, HSS/BORON steel. HP1000TP Inverter welding control with graphic touch screen display; automatic welding current regulation; weld report via USB memory stick; 3-Phases supply; Cooling unit with water circulation;

Transformer, gun and arms water-cooled; Welding gun suspension with relief arm and balancer.

AUTOMATIC transformer gun:

- Semiautomatic welding modes: thickness and material chosen by the operator.

- Automatic welding modes: recognition of the thickness to be welded by the welding machine and setting of the welding parameters automatically - no intervention by the operator.

AS25-15K 480C INVERTER AUTOMATIC





HP1000TP


Constant current welding control with graphic touch screen display. Welding control HP1000TP in combination with medium frequency system (inverter), concurs to produce spot welds of constant quality in simple and fast way. Complete traceability of the welds performed on a USB key.






WATER-COOLED ARMS

		AS25-15K 480C AUTOMATIC TOUCH
Rated output @ 50% duty cycle	kVA	13
Secondary max short circuit current	kA	15
Three-phase supply voltage +/- 10%	V	400
Mains frequency	Hz	50/60
Delayed fuses	А	16/32
Secondary no load voltage	V	6,5
PNEUMATIC C WELDING GUN		
Welding capacity on steel	mm	3+3
Electrodes force @ 8 bar	daN	480
Electrodes force @ 9.5 bar	daN	560
Cable length	mm	3000
Taper Electrodes diameter	mm	12



ELECTRODES



30mm electrode opening controlled by a button on the top of the handle







